




jednoogniskowe 1.50 UC, SHMC




Ø	Zakres	UC	HMC
75	-4.00/+4.00 cyl ≤ -2.00	✓	-
75	-4.00/0.00	-	✓
75	-2.00/+2.00 cyl ≤ -2.00	-	✓

jednoogniskowe 1.50 LED





✓	Zakres	HMC
70	+2.25/+6.00 cyl ≤ -2.00	✓
65	+0.25/+2.00 cyl ≤ -3.00	✓
70	-6.00/+2.00 cyl ≤ -2.00	✓
70	-2.00/0.00 cyl ≤ -4.00	✓

jednoogniskowe 1.50 POLAR B/G HC, HMC





✓	Zakres	HC	HMC
70	-6.00/+4.00	✓	✓

jednoogniskowe 1.56 HC, SHMC





Ø	Zakres	HC	SHMC
55	+0.25/+8.00 cyl ≤-2.00	✓	✓
55	+0.25/+8.00 cyl ≤-4.00	✓	✓
55	+8.25/+10.00 cyl ≤-2.00	✓	✓
55	+8.25/+10.00 cyl ≤-4.00	✓	✓
60	+0.25/+8.00 cyl ≤-2.00	✓	-
60	+0.25/+8.00 cyl ≤-4.00	✓	-
60	+0.25/+12.00 cyl ≤-6.00	-	✓
60	+8.25/+10.00 cyl ≤-2.00	✓	-
60	+8.25/+12.00	✓	-
60	+10.25/+12.00 cyl ≤-2.00	✓	✓
60	+10.25/+12.00 cyl ≤-4.00	-	✓
65	+6.25/+8.00 cyl ≤-2.00	✓	✓
65/70	-6.00/+6.00 cyl ≤-4.00	✓	-
65/70	-6.00/+6.00 cyl ≤-5.00	✓	✓
65/70	-6.00/+6.00 cyl ≤-6.00	✓	✓
70	+0.00/+6.00 cyl ≤-2.00	✓	✓

jednoogniskowe 1.56 ASF HC, SHMC





Ø	Zakres	HC	SHMC
65/70	-6.00/+6.00 cyl ≤ -2.00	✓	✓
65/70	-6.00/+6.00 cyl ≤ -4.00	-	✓
70	+0.25/+8.00	✓	✓

jednoogniskowe 1.59 HC, SHMC





Ø	Zakres	HC	SHMC
65	+0.25/+4.00 cyl ≤ -2.00	✓	✓
65	+4.25/+6.00	–	✓
65/70	-4.00/+4.00 cyl ≤ -4.00	–	✓
70	+0.00/+3.00 cyl ≤ -2.00	–	✓
70	-4.00/0.00 cyl ≤ -2.00	✓	✓

jednoogniskowe 1.59 ASF HC, HMC, SHMC





Φ	Zakres	HC	HMC	SHMC
65	+0.25/+4.00 cyl ≤-2.00	✓	✓	✓
70	-6.00/0.00 cyl ≤-2.00	✓	✓	✓

jednoogniskowe 1.60 SHMC




Φ	Zakres	SHMC
60	+0.25/+6.00 cyl ≤ -2.00	✓
60	+6.25/+8.00 cyl ≤ -2.00	✓
60	+0.25/+6.00 cyl ≤ -4.00	✓
70	-8.25/-10.00 cyl ≤ -2.00	✓
70	-5.25/-8.00 cyl ≤ -3.00	✓
70	-5.00/0.00 cyl ≤ -4.00	✓

jednoogniskowe 1.60 ASF SHMC




Ø	Zakres	SHMC
65	+0.25/+6.00 cyl ≤ -2.00	✓
70	-10.00/+0.25 cyl ≤ -2.00	✓
70	-8.00/-3.00 cyl ≤ -3.00	✓

jednoogniskowe 1.67 ASF HMC, SHMC




Ø	Zakres	HMC	SHMC
60	+6.25/+12.00	-	✓
70	-8.00/-6.25 cyl ≤ -3.00	✓	-
75	-6.00/-0.25 cyl ≤ -3.00	✓	-
70	-15.00/-10.25 cyl ≤ -2.00	-	✓
70	-8.00/-4.00 cyl ≤ -4.00	-	✓

jednoogniskowe 1.74 ASF SHMC




Φ	Zakres	SHMC
70	-12.00/-3.00 cyl ≤ -2.00	✓
70/75	-8.00/-3.00 cyl ≤ -4.00	✓

dwuogniskowa BIF 28 1.50 HC, HMC, SHMC, FOTO B/G





Φ	Zakres	HC	HMC	SHMC
70	0.00/+3.00 add +1.00/+3.00	OPT_16.90	OPT_17.90	-
70	-2.00/-0.25 add +1.00/+3.00	OPT_19.90	OPT_24.90	OPT_29.90

dwuogniskowa BIF 28 1.50 FOTO B/G



Φ	Zakres	SHMC
70	-2.00/+3.00 add +1.00/+3.00	✓

progresywna 1.56 SHMC Kanat 14




1.56 SHMC

Ø	Zakres	SHMC
70	-1.00/+3.00 add +1.00/+3.00	✓
70	-1.00/+3.00 add +3.25/+3.50	✓

1.56 FOTO B/G

Ø	Zakres	SHMC
70	-1.00/+3.00 add +1.00/+3.00	✓
70	-1.00/+3.00 add +3.25/+3.50	✓

jednoogniskowe 1.56 Barwa B/G HMC



Ø	Zakres	HMC
65	+2.25/+4.00 cyl ≤ -2.00	✓
70	-6.00/+2.00 cyl ≤ -2.00	✓